




Justrite Safety Group

Indoor Absorbant - Loose Lay Carpet Mats

117 Heritage Rib™



Indoor - Medium traffic

117 Heritage Rib™

This is an economical yet highly effective entrance mat product. Durable fibres offer good scraping action, preventing moisture and grime from being walked into facilities.

Low profile allows foot, cart and wheelchair traffic to move easily over the mat. Vinyl backing is moisture resistant and slip resistant.

Recommended use:

- Medium traffic
- For placement inside entrances of schools, offices, shops

Specifications:

- 100% anti-static polypropylene fibres
- Backing: Black vinyl (DOP free)
- Vinyl borders: 2.5 cm on all sides
- Overall thickness: 7,5 mm
- Weight: 3,1 kg/m²
- Fire rating: ASTM D2859 passes DOC-FF-1-70

Standard sizes:

- 60cm x 90cm
- 90cm x 120cm
- 90cm x 150cm
- 120cm x 180cm
- 120cm x 240cm

Full rolls:

- 120cm x 20m

Custom lengths:

- 120cm x linm

Colours:


- Charcoal, Green, Red Black, Brown

Cleaning instructions:

- Vacuum clean




PRODUCT TESTING






Charcoal (CH)



Red (RB)



Brown (BR)



Green (GN)

117 Heritage Rib™

Art. nr.	Dimensions	Weight kg
117S0023..	60cm x 90cm	1,7
117S0034..	90cm x 120cm	3,4
117S0035..	90cm x 150cm	4,2
117S0046..	120cm x 180cm	6,7
117S0048..	120cm x 240cm	8,9
117R0048..	120cm x 20m	75
117C0048..	120cm x linm	4,05

Colours: Charcoal (CH), Red (RB), Brown(BR), Green (GN)

117 Heritage Rib™

GENERAL DESCRIPTION

Type	Indoor Absorbant - Loose Lay Carpet Mats
Description	Absorbent carpet mat
Recommended use	Indoor
Surface	Lengthwise corrugated rib pattern
Category	Dust Control Matting Medium traffic
Colours	Charcoal, Green, Red Black, Brown
Edges	Vinyl borders: 2.5 cm on all sides

TECHNICAL SPECIFICATIONS

Material	100% anti-static polypropylene fibres
Backing	Black vinyl (DOP free)
Process	Needle punch
Pile weight	650 g/m ²
Total weight	3,1 kg/m ²
Overall thickness	7,5 mm

TESTS

Absorption capacity	TNO W6034	2.71 l/m ²
Fire rating	EN 13501	ASTM D2859 passes DOC-FF-1-70
Comfort class	EN 1307	LC3
Light Fastness	ISO 105 B02	5
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals	
Surface flammability	ASTM D2859	Pass

DIMENSIONS

Standard sizes	Full rolls	Custom lengths
60cm x 90cm	120cm x 20m	120cm x linm
90cm x 120cm		
90cm x 150cm		
120cm x 180cm		
120cm x 240cm		