



Justrite Safety Group

Indoor - Light traffic

123 Polyplush LT™



Indoor - Light traffic

123 Polyplush LT™

Simple, stylish and affordable yet very functional entrance mats with a high water absorption capacity that also captures dirt. Plush matting in muted uni-colours easily blends in any interior yet hides dirt and fine particles.

These entrance mats are our top sellers for use in moderate foot traffic areas. Vinyl backing is moisture resistant and slip resistant.

Recommended use:

- Light traffic
- For placement inside entrances of schools, offices, shops

Specifications:

- 100% polypropylene yarns
- Backing: Black vinyl (DOP free)
- Vinyl borders: 2.5 cm on all sides
- Overall thickness: 4,5 mm
- Weight: 2,4 kg/m²
- Fire rating: En 13501-1 Cfl-S1

Standard sizes:

- 60cm x 90cm
- 90cm x 150cm
- 90cm x 150 cm
- 120cm x 180cm

Custom lengths:

- 90cm x linm
- 120cm x linm

Colours:

- Brown, Blue, Grey, Red Black

Cleaning instructions:

- Vacuum clean



PRODUCT TESTING





Blue (BU)



Brown (BR)



Grey (GY)



Red (RB)

123 Polyplush LT™

Art. nr.	Dimensions	Weight kg
123S0023..	60cm x 90cm	1,4
123S0035..	90cm x 150cm	3,8
123S0046..	120cm x 180cm	5,5
123C0036..	90cm x linm	2,6
123C0048..	120cm x linm	4,1

Colours: Blue (BU), Grey (GY), Brown (BR), Red (RB)

123 Polyplush LT™

GENERAL DESCRIPTION

Type	Indoor Absorbant - Loose Lay Carpet Mats
Description	Absorbent carpet mat
Recommended use	Indoor
Surface	Rich monochrome colours
Category	Dust Control Matting Light traffic
Colours	Brown, Blue, Grey, Red Black
Edges	Vinyl borders: 2.5 cm on all sides

TECHNICAL SPECIFICATIONS

Material	100% polypropylene yarns
Backing	Black vinyl (DOP free)
Process	Tufting
Yarn Construction	Cut loop pile - velours
Pile weight	350 g/m ²
Total weight	2,4 kg/m ²
Overall thickness	4,5 mm

TESTS

Fire rating	EN 13501	En 13501-1 Cfl-S1
Comfort class	EN 1307	LC3
Sustainability	Recyclable material, Contributes to a cleaner environment by reducing need of cleaning chemicals	
Surface flammability	ASTM D2859	Pass

DIMENSIONS

Standard sizes	Full rolls	Custom lengths
60cm x 90cm		90cm x linm
90cm x 150cm		120cm x linm
90cm x 150 cm		
120cm x 180cm		